

Painful Nipples

Tender and sensitive nipples are normal as you begin breastfeeding your new baby. However, very painful, cracked, or bleeding nipples are not. Usually this problem is related to the way your baby latches to the breast. It is important that your baby gets a big “mouthful” of the nipple and areola.

Football Hold

1. Hold your baby's head behind the ears



2. Align your baby “nose to nipple”



3. Roll baby “belly to belly”



Cross-Cradle Hold



Laid Back Breastfeeding

Recline with your baby “on top”. Use pillows to support you and your baby as needed.



This is an excellent position for feeding and may just be the trick to remedy sore nipples.






Latch

Use a “sandwich hold” to achieve a better latch-on. Gently squeeze the breast to shape it like an oval that fits deeply in your baby’s mouth.



Look for a wide mouth on the breast.



If breastfeeding hurts, break the suction and try the latch again. Do not continue with a feeding if you experience pain.

Treatment

- Correct position and latch-on
- Check wide open 140° wide mouth
- Apply your expressed breastmilk or purified lanolin to nipples after feeds
- Use breast shells to protect the nipple
- Look for a wide mouth on the breast
- Use hydrogel dressings to speed healing



- Look for a wide mouth on the breast
- Use hydrogel dressings to speed healing



- Feed for short, frequent feedings
- Start on the less painful side
- Rotate the position of your baby at each feeding
- If your breasts are very full, hand express some milk, use reverse pressure softening (see handout on engorgement) or use a breast pump

These measures may help you resolve uncomplicated problems with nipple pain. There are circumstances where nipple pain indicates a more severe problem. Please seek help if your problem does not resolve quickly.